OB TRAILER UP TO 12 CAM HD







Broadcast Depot
Whatsapp +33 660 45 20 20


Broadcast Depot
Whatsapp +33 660 45 20 20


Broadcast Depot
Whatsapp +33 660 45 20 20

PRODUCTION ROOM






01:25:29
Broadcast Depot
Whatsapp +33


Broadcast Depot
Whatsapp +33 660

VTR AND CAMERAS


Broadcast Depot
Whatsapp +33 660 45 20 20


Broadcast Depot
Whatsapp +33 660 45 20 20


Broadcast Depot
Whatsapp +33 660 45 20 20


Broadcast Depot
Whatsapp +33 660 45 20 20

SOUND (CURRENT YAMAHA DIGITAL TABLE)





STORAGE ON THE BAC





OB TRAILER – TECHNICAL SPECIFICATION

PRODUCTION CONTROL (Production gallery)

Grass Valley Kalypso HD video mixer 4 M/E, 90 inputs, 48 outputs, 4 keyers per M/E, 3DPM assignable, redundant PSU, with 4M/E panel, GUI panel and Sat panel

Grass Valley Concerto HD router 64x64 + 5 panels

2 Kaleido Alto HD (10 inputs) – for camera control and CCU monitoring

2 Kaleido Quad (4 inputs)

1 Kaleido K2 HD (12 inputs, 1 output)

1 Kaleido K2 HD (12 inputs, 2 outputs)

6 IPS panels 32"

2 Vutrix Quad HD-SDI monitors 25" (PRV/PGM)

Axon frame with 4 HD frame synchronizers and 2 HD embedders

2 AJA sync generators

Albala sync distribution unit with cards AVD-3001 (x2), AVD-3000 and dual PSU

MACHINE ROOM / EVS AND TECHNICAL CONTROL

6 panels 15" for EVS stations

2 panels 20" for CCU

AUDIO CONTROL ROOM

Yamaha M7CL audio mixing console with redundant power supply

CTP Sixmix II rack mixer

3 analogue audio distribution units AVITEL

Vumeters AMU-MALS

2 Rockit 6 monitors

2 JBL Control One monitors

1 Fostex 6301B monitor

2 power amplifiers HH-150

1 power amplifier VX-300

CTP ATG202 tone generator

Telos single-channel telephone hybrid

INTERCOM SYSTEM

Telex/RTS ADAM intercom matrix + 6 panels with redundant power supply

RTS UIO25 GPIO module

RTS Series 4000 IFB system

Broadcast Depot
Whatsapp +33 660 45 20 20

The OB Trailer support facilities up to:

12 camera chains

3 x 6-channel EVS (4 in 4 out on PATCH per evs)

2 full CCU stations (6 cameras per station)

4 VTR

2 Character Generators (Titling Machines, Chyrons or whatever they call them over there)

6 frame correctors (DFS, UDC FrameStore or whatever they call it)

46 multiscreen lines


32 TiTleLines outdoor video lines

84 outside audio lines

all intercom ports are patched so they can be configured 100% regardless of the software configuration.

Audio pre-installation for multitrack etc. etc. etc.

Broadcast Depot
Whatsapp +33 660 45 20 20



EXT Video Patch

EXT Triax Video Patch New cabling in 2025



New Full Cabling in 2019



Power specifications

CETAC socket (IEC 60309) 3-phases: 400 V Rated current: 125 A – 90KW





- Haldex air suspension control panel – used to raise, lower and level the vehicle.
- Vehicle batteries – power supply for the truck systems.
- Battery isolator and charger – battery management and charging when connected to external power.
- Function:
  Compartment for air suspension control and vehicle batteries, allowing the OB Trailer to stabilize and level the truck during operation.

Power Distribution Panel



Broadcast Depot
Whatsapp +33 660 45 20 00

Vision mixer

Grass Valley Kalypso 4M/E with his frame (included in the trailer)


Broadcast Depot
Whatsapp +33 660 45 20 20



Optional vision mixer



Grass Valley HD-300

The HD-300 can be supplied instead of the Grass Valley Kalypso 4M/E for €12,000 extra cost.